Tray clearing trolley for 2 × 10 trays, GN

P/N: 0138164 | TAWEDEL 2/20 GN 125-L

Technical data

Modular dimension:

Insertion type:

20 × GN 1/1

Lengthwise insertion

125 mm

100 kg

31 kg

Capacity:

Payload:

Weight:

HUPFE

we make work flow

			_
1			
		<u>S</u>	
X		E.	
			0
2	Th)	

Similar to illustration, technical modifications reserved. Without decoration.

	Width:	845 mm
	Depth:	636 mm
tions	Height:	1546 mm
tions	•	

Tray clearing trolley for lengthwise insertion of GN 1/1 trays.

Trolley in robust, self-supporting and hygienic design, made of high-quality stainless steel. Square tube design with welded connection tubes running horizontally, with upper polyethylene end plugs. Permanently inserted, solid-material, stainless steel tray shelves, with push-through protection on both sides as per DIN EN 18867-2. 2 solid-material, stainless steel struts each, welded at the long sides of the tray insertions, serve as additional tray centring aids. 4 polyethylene disc bumpers serve as bumpers and protect trolley on all sides as well as building-side walls from being damaged. Trolley runs on 4 swivel casters of which 2 with total locks, Ø 4.9" (125 mm), with pin fastening.

The Hupfer stainless steel tray clearing trolley TAWEDEL 2/20 GN 125-L features a low overall height, giving the user ergonomically correct loading options, and the additional side struts provide optimised tray centring.

Time and date of the request:All information / dimensions are approximate, technical changes reserved. © Hupfer06.06.2025, 12:41:45

Hupfer · Dieselstrasse 20, 48653 COESFELD · Postfach 1463, 48634 COESFELD · Tel.: +49 2541 805-0 · Fax: +49 2541 805-111 info@hupfer.de · www.hupfer.com