

TAWEDEL tray clearing trolley for 20×EN

P/N: 0138184 | TAWEDEL 2/20 EN 125-L

HUPFER
we make work flow



Similar to illustration, technical modifications reserved. Without decoration.

Technical data

Capacity:	20 × EN
Modular dimension:	125 mm
Insertion type:	Lengthwise insertion
Payload:	100 kg
Weight:	32 kg
Width:	895 mm
Depth:	636 mm
Height:	1547 mm

Tray clearing trolley for lengthwise insertion of EN trays.

Trolley in robust, self-supporting and hygienic design, made of high-quality stainless steel. Square tube design with welded connection tubes running horizontally, with upper polyethylene end plugs. Permanently inserted, solid-material, stainless steel tray shelves, with push-through protection on both sides as per DIN EN 18867-2. 2 solid-material, stainless steel struts each, welded at the long sides of the tray insertions, serve as additional tray centring aids. 4 polyethylene disc bumpers serve as bumpers and protect trolley on all sides as well as building-side walls from being damaged. Trolley runs on 4 swivel casters of which 2 with total locks, Ø 4.9" (125 mm), with pin fastening.

The Hupfer stainless steel tray clearing trolley TAWEDEL 2/20 EN 125-L features a low overall height, giving the user ergonomically correct loading options, and the additional side struts provide optimised tray centring.

Time and date of the request:
06.06.2025, 11:51:52

All information / dimensions are approximate, technical changes reserved. © Hupfer