## Swivel castor with lock Ø125 mm

P/N: 0191445148 | LR Poly/St P1/125 anti mF





## Similar to illustration, technical modifications

reserved. Without decoration.

## **Technical data**

Payload: 100 kg

Weight: 0.7 kg

Width: 130 mm

**Depth:** 59 mm

Height: 165 mm

The swivel castor with brake is designed for mounting on mobile equipment. The swivel castor with brake allows for the mobility, steerability, and control of the equipment.

The easy-running swivel caster with brake, made of high-quality plastic and metal parts from galvanised steel, is corrosion-resistant and designed for attachment to mobile devices. The Hupfer swivel caster ensures the mobility of portable devices. The effortless turning, steering, and positioning of the devices using the swivel casters increase efficiency and safety when performing tasks in tight or crowded work areas. The robust swivel caster is equipped with a swivel bearing with a double ball race and allows for easy handling of the devices, even with heavy loads. The antistatic tyres prevent electrostatic charging and effectively protect against potential voltage discharges. The plain bearing enables almost silent and smooth mobility. The brakes ensure the securing and stabilisation of the device's position. The swivel caster is securely mounted on the device using a mounting plate, providing stability.

- Durable plastic housing ensures longevity - Swivel bearings with double ball race allow for effortless movement and precise control - Sliding bearings provide near-silent and smooth operation - Locking mechanisms guarantee the securing and stabilisation of the device's position - Antistatic tyres prevent electrostatic charging and effectively protect against voltage surges

Time and date of the request: 10.04.2025, 09:13:38

All information / dimensions are approximate, technical changes reserved. © Hupfer