Hot-Cold-Plate GN-4/1 sintered ceramic top with HUPFE cooling unit built-in unit, without frame

P/N: 8900242-01 | KWP CER ZK GN 4/1



Technical data

we make work flow

Payload:	36 kg
Capacity:	2420 W
Supply voltage:	AC 220-230 V
Nominal current:	10,5 A
Protection class:	Class I
Frequency:	50/60 Hz
Weight:	33.678 kg
Width:	1320 mm
Depth:	546 mm
Height:	201 mm

Similar to illustration, technical modifications reserved. Without decoration.

Hot and cold plate for the presentation and serving of hot and cold food. Device for installation in a counter or mobile bain marie.

High-quality stainless steel unit in stable, self-supporting and hygienic design. A hot and cold plate with a cover plate that ensures optimum temperature distribution due to its excellent temperature distribution is integrated in the cover. The use of a control system with digitally programmable temperatures and cooling pipes for connection to the on-site central cooling system. Self-regulating PTC heating elements with a short heat-up phase and a constant linear temperature curve on the other hand additionally enables a fast change between cold and hot operation in the range from -5°C to +140° C.

Time and date of the request: 06.04.2025, 10:01:43

All information / dimensions are approximate, technical changes reserved. © Hupfer